



SMART FLOORS



SAPPHIRE WOOD


PREMIUM

SMART ► Sapphire Wood

Heterogeneous Vinyl Floors

Wear Layer 0.35 mm | Dimensions : 2 mtr. x 15 mtr.
Thickness : 2 mm | Per Roll : 30 sq. mtr. / 323.62 sft.

PREMIUM Finish 



SWR-970-27

AFRICAN TEAK BROWN



SWR-975-03

AFRICAN OAK NATURAL



SWR-971-02

AFRICAN OAK BROWN



SWR-975-10

AFRICAN TEAK WALNUT




SWR-976-03

AFRICAN OAK R. BROWN



SWR-1115

AFRICAN OAK LIGHT BROWN



SWR-1113

AFRICAN OAK CC YELLOW



SWR-975-01

AFRICAN TEAK GREY

SPECIFICATION

PARTICULAR	TEST METHOD	SAPPHIRE PREMIUM
THICKNESS (MM)	EN428	2MM
ROLL WIDTH	EN426	2 MTR
ROLL LENGTH	EN426	15 MTR
WEAR LAYER	EN429	0.35 MM
TOTAL WEIGHT/SQM	EN430	3.6KG ± 5%
RESIDUAL INDENTATION	EN433	≤0.10mm
ABRASION RESISTANCE	EN649	WEAR GROUP P
DIMENSION STABILITY	IS3462	≤ 0.40%
MOISTURE MOVEMENT	IS3462	≤ 0.40%
PERFORMANCE CLASSIFICATION	EN685	33
SLIP RESISTANCE	DIN51130	R9

